

March 6, 2013, 5 p.m.

How sauropods like Argentinosaurus lived with the problems of being huge



MIKE TAYLOR - Even by dinosaur standards, sauropods were stupidly huge. A big tyrannosaur or duck-bill might weigh seven or eight tonnes - like a big elephant. The biggest sauropods were ten times as heavy - the size of whales. But unlike whales, they supported that bulk on land.

Argentinosaurus was among the very biggest of the sauropods - but how do we know how big it was? Unlike better-known mid-sized sauropods like *Diplodocus* and *Camarasaurus*, there is no complete skeleton. The best specimen consists of six vertebrae from the torso, a partial sacrum (the vertebrae that the hips fused to), a rib and one limb bone. That's not much to go on.

Fortunately, these fossils are enough to tell us what kind of sauropod it is - a primitive titanosaur. There are related sauropods in much better shape. By comparing the incomplete *Argentinosaurus* remains with complete skeletons of its relatives *Saltasaurus* and *Giraffatitan*, we estimate its weight at 70-80 tonnes. And it's unlikely that this specimen was as big as *Argentinosaurus* got.

As if moving 70-tonne bodies around on land wasn't challenge enough, sauropods made things even more difficult by having very long necks: up to 15 metres in *Supersaurus*, which is more than six times as long as that of the world-record giraffe.

It's hard to calculate the weight of such a neck, but a reasonable guess would be about six tonnes. That's equivalent to suspending an elephant several metres in front of the torso. The huge size and bizarre shape of sauropods posed all sorts of problems that modern animals don't have to deal with. How could they stay alive long enough to reach such sizes? How could they eat enough to sustain such bodies? How could their limbs support their weight, even when moving? How could the long necks be held up? Here are the answers.

Grow up fast

As recently as 20 years ago, some scientists argued that sauropods must have lived for centuries to reach huge sizes. More recently, analysis of the microstructure of dinosaur bones has shown that they grew much faster. Even giant sauropods reached adult size within two or three decades.

Good digestion

Elephants famously need to eat for 12 hours every day to keep their bodies stoked. So you might think that a 70-tonne animal would need more than 24 hours per day! But sauropods sidestepped this problem by skipping the time-consuming process of chewing.

Sauropod teeth were for biting, not munching, and they must have swallowed cropped vegetation whole. As well as speeding up feeding, this also reduced the weight of their heads, allowing the necks to be less heavily muscled.

Mammals chew because food can be digested faster if it's reduced to small particles first - so why didn't sauropods do the same?

Recent studies show that all available nutrients are extracted from food after three days in the gut,

Related Dinosaur



Argentinosaurus

Argentinosaurus was most probably the largest walk the planet. Like other sauropod dinosaurs, and long tail. It was the king of all sauropods. ...

[Read More](#)

Related Videos



Would Diplodocus have made a good pet?

What's New!

Feature articles based on the latest scientific



March 11, 2013, 12:27 p.m.

How big were the biggest dinosaurs? Lost fossils tell a tantalising story

COULD THERE really have been a dinosaur that tonnes? Mike Taylor laments the loss of the fossil of *Argentinosaurus* was a tiddler

[Read More](#)



March 8, 2013, 10:24 a.m.

The dwarf dinosaurs of Traralgon and their turkey-sized 'ape' relatives

WHILE GIANT herbivores roamed the plains of 100 million years ago, Europe was populated by the relatives

[Read More](#)

regardless of particle size. Sauropods were big enough to have very long guts that retained food for at least this long, so there would have been no advantage in chewing even had they been able.

Have an elephant's legs

The limb-bones of sauropods were optimised for a stiff-legged upright gait that would have minimised bending forces. Like those of elephants, these bones had thick walls and small or absent marrow cavities, making them stronger in compression.

It used to be believed that sauropods spent much of their time in water to buoy up their bodies, but multiple lines of evidence show that they did not. Their limbs were optimised for walking on land, their feet were compact and unsuited for marshy terrain, trackways show that they were good walkers, and their fossils are often found in sediments deposited in semi-arid environments.

Lighten up

Finally, sauropod necks, like those of all animals, were held up by a combination of ligament and muscle. But they were lightened in several ways. Most importantly, the neck vertebrae were air-filled - in some cases reducing their weight to only one ninth that of solid bone.

Air sacs also ran through the muscles and under the skin, just as in birds. Muscles that moved neck vertebrae were attached to long neck ribs, allowing the muscles to be closer to the torso, so their weight didn't act so far from the body.

All in all, sauropods were superbly engineered for living large.

- Dr. Mike Taylor is a computer programmer in his day-job, and a Research Associate at the University of Bristol. He has the luxury of working almost exclusively on sauropods, the most impressive and inspiring of all dinosaurs.

- Composite photo of blue whale, Brachiosaurus, elephant and humans: Matt Wedel




March 6, 2013, 5 p.m.

How sauropods like Argentinosaurus lived with the problems of

BEING A HUGE dinosaur wasn't easy. Safety from carnivores came at the cost of lugging around a size of a whale. Mike Taylor explains how sauropods

[Read More](#)



March 5, 2013, 12:11 p.m.

First fossilised dinosaur scar Edmontosaurus survived T.

A BEAUTIFULLY preserved scar found on the skin of Edmontosaurus has been unveiled by scientists

[Read More](#)



March 4, 2013, 1 p.m.

Which dinosaur would be the best footballer?

ASSUMING the spiky beasts could avoid popping a World Cup-winning team of dinosaurs. Scientists find out

[Read More](#)



Feb. 28, 2013, 3:49 p.m.

Beetles shed light on fossil colour

WHERE should we look to find fossils that have colours of the living animal? Scientists simulate beetle fossils to find out

[Read More](#)



Feb. 21, 2013, 1 a.m.

Is dinosaur fashion going to

Is dinosaur fashion going extinct?

DINOSAURS have been a staple of hipster fashion since the 1970s, but after a reptilian no-show at London Fashion Week, is this particular trend dying out? Rachel Helyer Donaghy

[Read More](#)



Feb. 18, 2013, 1 a.m.

Inside dinosaur stomachs: what carnivores eat?

FOSSILISED last meals tell us a lot about dinosaurs. We look at the stomachs of a Velociraptor. Dave Hone delves into the guts of

[Read More](#)




Feb. 17, 2013, noon

What do we know about dinosaur courtship?

FEMALE Triceratops could eye up their males' skulls. But did theropods like Velociraptor and T. rex display courtship?

[Read More](#)



Feb. 10, 2013, 1 a.m.

How big was dinosaur poo?

T. REX produced piles of faeces - but how big was the biggest dinosaur of them all: Argentinosaurus?

[Read More](#)



BBC, BBC Earth and Walking with Dinosaurs are trademarks of the British Broadcasting Corporation and are used under license. Walking With Dinosaurs logo © BBC 2010. BBC logo © BBC 1996

[Site Terms](#) [Privacy Policy](#) [Cookies Policy](#) [Contact Us](#) [About BBC Worldwide](#)